

High technical and oenological quality



The **CENOPOMPE® FIRST** is distinguished by its innovative helical lobes rotor technology, providing the best pumping quality on the market!

CENOPOMPE® FIRST | OEPFIRST

Ø 40

From 8 to 90 hL/h



SELLING POINTS

- 316 stainless steel pump housing
- Lobes made from EPDM
- Qualified by the BNIC for spirits
- Mechanics 5 years warranty, excluding wear parts
- On-board electronics 2 years warranty
- Pump light and mobile
- Connection DN40 : TRICLAMP, DIN, SMS, GAROLLA, RJT
- 10 meters of electrical cable with a standard plug
- Draining, cleaning, easy maintenance

PRACTICAL

- **On-board electronics:**

- speed variation,
- reverse direction,
- temporisation,
- servo-control,
- threshold.

- **Wireless remote control:**

- remote control,
- inductive charging,
- information feedback by diode.




- **2 mechanical pressure switches:**
manually adjustable

- **Digital display:**

- direction
- flowrate
- timer




DIMENSION DRAWING



ŒENOLOGICAL QUALITY

Pumping without pulsation



- Reduces up to 5 times the oxygen pick-up during transfers
- Resistance to high temperature: enable sterilization
- Suction vacuum capacity: - 5 m
- Operating pressure: up to 6 bar



MULTIFONCTIONAL

Racking - Transfer - Barrel filling - Filtration Bottling - Thermovinification



The **ŒNOPOMPE® FIRST** pumps everything: juices, wine, spirits, oil, must, juices at high temperature, cleaning products...

DISCOVER OUR PRODUCT RANGE



The **ŒNOPOMPE® FIRST**
is exclusively available at specialist
distributors of winemaking equipment.

Manufacturer

PMH Vinicole
ZA - 41 allée de la Croix des Hormes
69 250 Montanay - France
Tel. +33 (0)4 72 21 83 00
Fax +33 (0)4 72 51 43 17
e-mail : info@pmh-vinicole.fr

Your distributor & customer service

